

CATÁLOGO LED 06




astro
LED Lighting



80-1205-*

5W 360
lumenes



	MR16	5630 SMD	18 LEDs	85-265V			CRI >80
--	------	----------	---------	---------	--	--	---------

Temperatura Ambiental: -20°C 60°C

Humedad Ambiental: 0% 95%

Temperatura de Color: WW 3000K / NW 4500K


5W 360
lumenes

	MR16	5630 SMD	18 LEDs	85-265V			CRI >80
--	------	----------	---------	---------	--	--	---------

Temperatura Ambiental: -20°C 60°C

Humedad Ambiental: 0% 95%


Temperatura de Color: WW 3000K



80-1005 | 80-1006

"Dimeable"

5W 320
lumenes



80-2005-*

	MR16	LED EPISTAR	7 LEDs	85-265V			CRI >80
--	------	-------------	--------	---------	--	--	---------

Temperatura Ambiental: -20°C 60°C

Humedad Ambiental: 0% 95%

Temperatura de Color: WW 3000K / NW 4500K

7W 560
lumenes


	MR16	EPISTAR SMD2835	7 LEDs	85-265V	CRI >80		
--	------	-----------------	--------	---------	---------	--	--

Temperatura Ambiental: -20°C ~60°C

Humedad Ambiental: 0% ~95%

Material: PC Térmico

Temperatura de Color: WW 3000K



80-2009-*



<https://www.facebook.com/OVILUMINACION>



www.oviluminacion.com
Para su móvil



OV Iluminacion