



## CS315-2I

15 Amp, 120/277 Volt, Toggle 3-Way AC Quiet Switch,  
Commercial Spec Grade, Grounding, Side Wired - Ivory

**ROHS Compliant :** Yes


Leviton's Commercial Specification Grade switches are designed to offer outstanding reliability and top performance in commercial settings. Ideal applications include municipal facilities, government buildings, malls, department stores, hospital and health care facilities, office buildings, schools, colleges, universities, houses of worship and cultural institutions. Leviton offers a large selection of 15 and 20 Amp Commercial switches, available in a wide variety of colors, wiring options and other features.

**Color :**  Ivory

**UPC Code :** 078477815595

**Country Of Origin :** Mexico

### Available Colors :



### Technical Information

#### AC Horsepower Ratings

**HP Rating :** 1/2HP-120V 2HP-240V

#### Electrical Specifications

**Amperage :** 15 A

**Dielectric Voltage :**  
Withstands 1500V for 1 minute

**Max. Amperage :** 12 Amp

**Temperature Rise :** Maximum  
30 degrees C rise

**Voltage :** 120/277 VAC

#### Environmental Specifications

**Flammability :** Rated V-2 per  
UL94

**Operating Temperature :** -40°  
C to 65°C

#### Material Specifications

**Actuator Material :**  
Polycarbonate

**Base Material :** PBT

**Body Material :** Thermoplastic

**Color :** Ivory

**Contacts :** Silver-Cadmium .  
031 Thick

**Cover Material :** Nylon

**Strap Material :** Steel

**Terminal Screws :** Steel 8-32

**Toggle :** Polycarbonate

#### Mechanical Specifications

**Product ID :** Stamped on Strap

**Screw Terminal Torque :** 14-  
18 in-lbs

**Terminal Accom. :** 14-12 AWG

**Terminal ID :** Brass-Hot,  
Green-Ground, Silver-Neutral

#### Product Features

**Color :** Ivory

**Device Type :** Toggle Switch

**Function :** 3-Way

**Grade :** Commercial  
Specification Grade

**Termination** : Side Wire

Standards and Certifications

**ANSI** : C-73

**CSA C22.2 No. 111** : File  
#152105

**NEMA** : WD-1 & WD-6


**NOM** : 057

**UL Fed Spec WS896E** : File  
#E7458

**UL Standard** : UL 20

**Warranty** : 10-Year Limited

## Wiring Diagram



### SPECIFICATION SUBMITTAL

|                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                 |  |  |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| <p><b>JOB NAME:</b></p> <div style="border: 1px solid black; height: 20px; width: 100%;"></div> <p><b>JOB NUMBER:</b></p> <div style="border: 1px solid black; height: 20px; width: 100%;"></div> | <p><b>CATALOG NUMBERS:</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"><tr><td style="width: 50%; height: 20px;"></td><td style="width: 50%; height: 20px;"></td></tr><tr><td style="height: 20px;"></td><td style="height: 20px;"></td></tr></table> |  |  |  |  |
|                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                 |  |  |  |  |
|                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                 |  |  |  |  |

**Leviton Manufacturing Co., Inc**

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.

T. Monday-Friday): +1-800-824-3005

**Leviton Manufacturing of Canada, Ltd.**

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-469-7890 ·

FAX: +1-800-824-3005 · [www.leviton.com/canada](http://www.leviton.com/canada)

**Leviton S. de R.L. de C.V.**

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)

5386- 1797 · [www.leviton.com.mx](http://www.leviton.com.mx)

**Visit our Website at:** [www.leviton.com](http://www.leviton.com)

© 2024 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

**Leviton has a global presence.**

If you would like to know where your local Leviton office is located please go to:

[www.leviton.com/international/contacts](http://www.leviton.com/international/contacts)

