



# DDL06-1LZ

Decora Digital LED Dimmer Switch, 300W Dimmable LED, 600W Incandescent, Single Pole or 3-Way/Multi-location, White, Ivory and Light Almond faceplates included

Decora Digital Universal Dimmable LED, CFL and Incandescent Digital Dimmer, 300W Dimmable LED and CFL, 600W Incandescent 120V, 60Hz, Single Pole and 3-Way/Multi-location control, LED locator and brightness display. White face assembled on device, Ivory and Light Almond faces included. Ground wire required for installation. Wallplate sold separately.

**ROHS Compliant :** Yes

**UPC Code :** 078477728543

**Country Of Origin :** China

Decora Digital Dimmers deliver smooth, full-range dimming for incandescent, dimmable LED and dimmable CFL bulbs. Elegantly styled, Decora Digital Dimmers feature our hallmark Decora rocker switch paired with a contemporary slender dimmer bar for precise control of lighting level. Digital circuitry offers programmable soft fade on and fade off rates and the ability to set the maximum light level for optimal energy savings. For added convenience, the dimmer bar preserves your selected light level for perfect lighting every time.

## Technical Information

### Product Features

**Action :** Soft-On, Fade-Off.  
Rocker Switch for ON/OFF,  
Dimmer bar for lighting level control

**Available Colors :** Ivory-I Wht-  
W Gry-G Blk-E Brwn-B Light  
Almond-T

**California Title 24 :** Yes

**Color :** White, Ivory, Light  
Almond

**LED Color :** Green

**Light :** LED Locator and  
Brightness Display

**Load Rating :** 300W LED and  
CFL, 600W Incandescent

**Load Type :** Incandescent,  
Dimmable LED, Dimmable CFL

**NEMA SSL 7A :** Yes

**Ordering Notes :** Included  
White, Ivory and Light Almond  
Color Kit

**Preset :** Slide bar preserves  
desired lighting level

**Standards and Certifications**

: CSA, NOM, FCC, NEMA SSL  
7A, Title 24 Compliant

**Style Name** : Decora

**Switch Type** : Single-Pole, 3-  
Way or More

**Torque Range** : 14 – 18 in.-lbs

**Type** : Dimmer

**Voltage** : 120 VAC

**Wallplate** : Order Separately

**Warranty** : 5-Year Limited

**Wiring Notes** : Ground wire  
required

**Features and Benefits**

- Digital circuitry provides programmable soft fade on and fade off
- Ability to set maximum light level for energy savings
- LED locator light and Dimmer Brightness Display can be disabled
- Single pole or 3 way/multi-location control with Decora Digital remote (sold separately)
- No fins for multi-gang installation
- Built-in radio/TV interference filter
- Ground wire required
- Can be used to comply with 2019 California Title 24, Part 6 Indoor Lighting Switching Devices and Controls

**Patents \***

US10062528	US7683755
US8664886	US8944859
US9329607	US9398667
US9681526	US9767973

This list is provided for patent marking purposes only. A good faith effort is made to maintain the accuracy and completeness of this list. No legal inference should be drawn from the omission of a patent from this list.

**SPECIFICATION SUBMITTAL**

<b>JOB NAME:</b> <input type="text"/>	<b>CATALOG NUMBERS:</b> <input type="text"/>	<input type="text"/>
<b>JOB NUMBER:</b> <input type="text"/>	<input type="text"/>	<input type="text"/>

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.  
T. Monday-Friday): +1-800-824-3005

**Leviton Manufacturing of Canada, Ltd.**

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-469-7890 ·  
FAX: +1-800-824-3005 · [www.leviton.com/canada](http://www.leviton.com/canada)

**Leviton S. de R.L. de C.V.**

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)  
5386- 1797 · [www.leviton.com.mx](http://www.leviton.com.mx)

**Visit our Website at: [www.leviton.com](http://www.leviton.com)**

© 2024 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without  
notice.

**Leviton has a global presence.**

If you would like to know where your local Leviton office is located please go to:  
[www.leviton.com/international/contacts](http://www.leviton.com/international/contacts)

**© 2024 Leviton Manufacturing Co., Inc.**