



Color: White, Ivory, Light Almond

UPC Code: 078477570456

Country Of Origin: China

IPS15-1LZ

Decora Motion Sensor In-Wall Switch, Auto-On, 15A, Single Pole or 3-way

Decora Motion Sensor. 180 Degree PIR auto-on wall box sensor, single pole or 3-way when used with the IPV0R companion sensor remote, 600W LED/CFL, 1800W incandescent/halogen, 1800VA fluorescent ballast, 1/2 HP motor, wallplate sold separately – White, Ivory & Light Almond

DISCONTINUED

Suggested Replacement SKUs: :

ROHS Compliant: Yes

- CONVENIENT Detects motion and turns lights ON/OFF automatically
- ENERGY SAVING Helps prevent lights from being left on when room is vacant
- ADVANCED Prevents automatic ON when space has ample natural light
- FLEXIBLE Single Pole or 3-way installation when used with the IPV0R companion sensor remote

Technical Information

Product Features

Auto-ON/Auto-OFF: Yes

California Title 24: No

Color: White, Ivory, Light

Almond

Coverage (Sq.Ft.): 180°, 900

Sq. Ft

Grade: Residential

Ground Connection: No

LED Color: Green

Load Rating: 600W LED/CFL, 1800W Incandescent/Halogen, 1800VA Fluorescent, 1/2 HP,

15A Resistive

Mounting Type: Wall Switch

Neutral: Required

Neutral Wire Connection:

Required

Ordering Notes : Includes White, Light Almond and Ivory

Color Change Kit

Pole: 1

Sensor Technology: Passive

Infrared

Sensor Type : Occupancy

Standards and Certifications

: UL, FCC

Style Name: Decora

Switch: Relay

Time Delay: 30S, 5M, 15M,

30M

Torque Range: 14 – 18 in.-lbs

Voltage: 120 VAC

Wallplate : Order Separately
Warranty : 5-Year Limited

Features and Benefits

- Switches Incandescent, CFL, LED and Fluorescent Ballasts using relay technology
- Automatic-ON/Automatic OFF operation for seamless energy management
- Low-Profile design eliminates an obtrusive "scanning device" look. Elegant styling compliments any interior and coordinates with Leviton's popular line of Decora® wiring devices
- 180 degree field-of-view provides approximately 900 square feet of coverage suitable for bathrooms, basements, garages, utility rooms and a variety of other residential areas
- Convenient push-button provides Manual OFF light switching at any time
- Segmented lens provides optimum sensitivity and performance. It is designed with an extensive "minor motion" area where even slight body movements will be detected
- Four optional manual adjustments for delayed-OFF time settings maximize energy savings: 30 seconds (for walking test), 10 minutes, 20 minutes and 30 minutes
- LED Indicator Light flashes when sensor detects motion to verify detection is active
- Unit can be used for 120V lighting. Compatibile with both electronic and magnetic ballasts or 1/2 HP loads
- Relay switches at zero crossing point of the AC power curve to ensure maximum contact life and compatibility with electronic ballasts
- Fits in standard wallbox; Single Pole or Multi Location with IPV0R
- Neutral wire required

Patents*

CA145184	CA2582058
CA 145 164	CA2302030
CA2708330	MX284236
MX295581	MX315382
MX38587	US7924155
US8018166	US8944859
US8981299	USD706726

This list is provided for patent marking purposes only. A good faith effort is made to maintain the accuracy and completeness of this list. No legal inference should be drawn from the omission of a patent from this list.

SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:
JOB NUMBER:	

Leviton Manufacturing Co., Inc

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.

T. Monday-Friday): +1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-469-7890 · FAX: +1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52) 5386- 1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2024 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts

© 2024 Leviton Manufacturing Co., Inc.