


# Product data sheet

Specifications



## Plain mounting plate H600xW600mm made of galvanised sheet steel

NSYMM66

Product availability: Stock - Normally stocked in distribution facility

Price\*: 43.09 USD

### Main

|                                    |                                                                                            |
|------------------------------------|--------------------------------------------------------------------------------------------|
| Range                              | Spacial                                                                                    |
| Accessory / Separate Part Category | Mounting accessory                                                                         |
| Product Or Component Type          | Mounting plate                                                                             |
| Device Application                 | Multi-purpose                                                                              |
| Enclosure Nominal Dimensions       | - H: 23.62 in (600 mm) W: 23.62 in (600 mm)                                                |
| Mounting Location                  | Step slide<br>Direct fixing on backstuds                                                   |
| Mounting Plate Description         | Plain                                                                                      |
| Range Compatibility                | Spacial Spacial S3D<br>Spacial Spacial CRN<br>Spacial Spacial S3X<br>Thalassa Thalassa PLM |
| Quantity Per Set                   | Set of 1                                                                                   |
| Material                           | galvanised steel                                                                           |

### Complementary

|                            |                                              |
|----------------------------|----------------------------------------------|
| Fixing Mode                | Screwed on backstuds M8<br>By fixing element |
| Permanent Permissible Load | 297.62 lb(US) (135 kg)                       |
| Height                     | 21.65 in (550 mm)                            |
| Width                      | 21.65 in (550 mm)                            |
| Thickness                  | 0.07 in (1.8 mm)                             |
| Net Weight                 | 9.65 lb(US) (4.375 kg)                       |

### Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10ES180036  |
| Discount Schedule | 0ES1          |
| Gtin              | 3606480183409 |
| Returnability     | Yes           |
| Country Of Origin | US            |

### Packing Units

|                        |     |
|------------------------|-----|
| Unit Type Of Package 1 | PCE |
|------------------------|-----|

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                          |
|------------------------------|--------------------------|
| Number Of Units In Package 1 | 1                        |
| Package 1 Height             | 0.12 in (0.3 cm)         |
| Package 1 Width              | 22.05 in (56.0 cm)       |
| Package 1 Length             | 22.05 in (56.0 cm)       |
| Package 1 Weight             | 9.81 lb(US) (4.45 kg)    |
| Unit Type Of Package 2       | P12                      |
| Number Of Units In Package 2 | 70                       |
| Package 2 Height             | 14.17 in (36.0 cm)       |
| Package 2 Width              | 31.50 in (80.0 cm)       |
| Package 2 Length             | 47.24 in (120.0 cm)      |
| Package 2 Weight             | 747.37 lb(US) (339.0 kg) |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sustainability



**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance

|   |                            |     |
|---|----------------------------|-----|
| ✓ | Reach Free Of Svhc         |     |
| ✓ | Toxic Heavy Metal Free     |     |
| ✓ | Mercury Free               |     |
| ✓ | Rohs Exemption Information | Yes |

## Certifications & Standards

|                          |                                                                                                             |
|--------------------------|-------------------------------------------------------------------------------------------------------------|
| Reach Regulation         | <a href="#">REACH Declaration</a>                                                                           |
| Eu Rohs Directive        | Pro-active compliance (Product out of EU RoHS legal scope)<br><a href="#">EU RoHS Declaration</a>           |
| China Rohs Regulation    | <a href="#">China RoHS declaration</a><br>Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Environmental Disclosure | <a href="#">Product Environmental Profile</a>                                                               |
| Circularity Profile      | No need of specific recycling operations                                                                    |