





Mini circuit breaker, QO, 10A, 2 pole, 120/240VAC, 10kA, plug in

QO210

Product availability: Stock - Normally stocked in distribution facility

Price*: 67.00 USD

Main

| Wall | | |
|-----------------------|---------------------------|--|
| Product | Miniature circuit-breaker | |
| Range | QO | |
| Current Rating | 10 A | |
| Voltage Rating | 120/240 V AC 120 V AC | |
| Mounting Type | Plug-in | |
| Number Of Poles | 2P | |
| Circuit Breaker Type | Standard | |
| Ratings | HACR rated | |
| Electrical Connection | Pressure plate | |

Complementary

| Interrupt Rating | 10 kA 120/240 V AC 10 kA 120 V AC |
|------------------------|--------------------------------------|
| Number Of Panel Spaces | 2 |
| Wire Size | AWG 14AWG 8 copper or aluminium |
| Tightening Torque | 35.40 lbf.in (4 N.m) |
| Height | 2.99 in (76 mm) |
| Width | 1.50 in (38 mm) |
| Depth | 2.91 in (74 mm) |
| Net Weight | 0.53 lb(US) (0.240 kg) |

Environment

| Certifications | UL Listed CSA |
|----------------|------------------|
| Ambient Rating | 104 °F (40 °C) |

Ordering and shipping details

| Category | US1DE2A00004 DE2A | |
|-------------------|-------------------|--|
| Discount Schedule | | |
| Gtin | 785901205609 | |
| Returnability | Yes | |
| Country Of Origin | MX | |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|---------------------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 1.50 in (3.81 cm) |
| Package 1 Width | 3.00 in (7.62 cm) |
| Package 1 Length | 3.20 in (8.128 cm) |
| Package 1 Weight | 8.48 oz (240.404 g) |

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

| Ø | Mercury Free | |
|----------|----------------------------|-----|
| Ø | Rohs Exemption Information | Yes |
| ② | Halogen Free Product | |

Certifications & Standards

| Reach Regulation | REACh Declaration |
|---------------------------|---|
| Eu Rohs Directive | Compliant with Exemptions |
| China Rohs Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information. |
| Circularity Profile | No need of specific recycling operations |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov |