





Load center, QO, 3 phase, 30 spaces, 30 circuits, 200A fixed main lugs, NEMA3R, gnd bar, UL

QO330L200GRB

Product availability: Stock - Normally stocked in distribution facility

Price\*: 839.00 USD

### Main

Marketing Trade Name	QO	
Product Type	Load Center	
Enclosure Type	Weatherproof enclosure	
Cover Type	Surface cover	

### Complementary

Tightening Torque	Main lugs 250 lb.in, AWG 4250 kcmil, aluminium/copper	
Pon Convertible Mains (Lugs)	Fixed Mains (lugs)	
Rated Current	200 A	
Number Of Spaces	30	
Max Short Circuit Current Rating	65 kA	
Maximum Number Of Single Pole Circuits	30	
Maximum Number Of Tandem Breakers	0	
Number Of Phases	3 phase	
Voltage Rating	208Y/120 V AC 240/120 V delta AC 240 V delta AC	
Wire Size	AWG 6300 kcmil aluminium/copper	
Ground Bar	Grounding bar included (not installed)	
Electrical Connection	Lugs	
Wiring Configuration	3-wire 4-wire	
Busbar Material	Tin plated copper: busbar	
Enclosure Material	Welded galvannealed steel	
Surface Finish	Baked enamel Gray	
Box Number	6R	
Height	29.84 in (758 mm)	
Width	14.76 in (375 mm)	

### **Environment**

Enclosure Rating NEMA 3R outdoor

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ambient Air Temperature For	23 °F (-5 °C)
Operation	104 °F (40 °C)
Product Certifications	III Listed

# Ordering and shipping details

Category	US10DE300017
Discount Schedule	0DE3
Gtin	785901295525
Returnability	Yes
Country Of Origin	US

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	31.70 in (80.518 cm)
Package 1 Width	5.00 in (12.7 cm)
Package 1 Length	15.50 in (39.37 cm)
Package 1 Weight	32.50 lb(US) (14.742 kg)

### **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

<b>②</b>	Reach Free Of Svhc	
<b>9</b>	Toxic Heavy Metal Free	
<b>②</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov