



NEVE UP: Mecanismo variador conectado IoT 120V

09595.0.120

Series residenciales / Series resid. View Wireless / NEVE UP / Dispositivos

Mecanismo variador conectado IoT 120V

Estado producto

3 - Activo

Cant. mínima de pedido


1 NR




Instrucciones, Manuales, Documentación

- [Hoja de instrucciones multilingüe Light \(1077 kb\)](#)
- [Full \(723 kb\)](#)
- [Foglio istruzioni Full \(659 kb\)](#)
- [Notice technique Full \(661 kb\)](#)
- [Ficha de instrucciones Full \(634 kb\)](#)
- [Full instructions sheet \(654 kb\)](#)
- [Φυλλάδιο οδηγιών Full \(807 kb\)](#)
- [Anweisungsblatt Full \(659 kb\)](#)
- [Manuale app View Wireless \(16631 kb\)](#)
- [Manuel appli View Wireless \(36765 kb\)](#)
- [Manual app View Wireless \(36761 kb\)](#)
- [Manual View Wireless app \(36821 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(37889 kb\)](#)
- [Installationsanleitung View Wireless \(36780 kb\)](#)


Dibujos



Volúmenes



Vista trasera



Vista 3D

Datos técnicos

- **Class group:** Domestic switching devices
- **Class:** Interruptor de la instalación
- **Wiring system:** Otros
- **Method of operation:** Balancín / botón
- **Assembly arrangement:** Módulo para programa de interrupción de instalación
- **Number of modules (module system):** 1
- **Push button switch:** Si
- **Number of rockers:** 1
- **Mounting method:** Empotrado
- **Type of fastening:** Bloquear en posición
- **With mounting plate:** No
- **Material:** Plástico
- **Material quality:** Termoplástico
- **Halogen free:** Si
- **Anti-bacterial treatment:** No
- **Surface protection:** Sin tratamiento
- **Surface finishing:** Brillante
- **Colour:** Verde
- **RAL-number (similar):** 9003
- **Label space/information surface:** No
- **Lighting:** Sí
- **Function lighting:** Iluminado (activado)
- **Type of lighting:** LED no intercambiable
- **Suitable for degree of protection (IP):** IP40
- **Impact strength:** No disponible
- **Nominal voltage:** 120 V
- **Rated current:** 0,00 A
- **Switching current for fluorescent lamps:** 0
- **Monitoring contact:** No
- **Connection type:** Terminal enroscado
- **Heating switch:** No
- **Washing machine switch:** No
- **Device width:** 22,30 mm
- **Device height:** 47,00 mm
- **Device depth:** 47,40 mm
- **Built-in depth:** 37,90 mm
- **Min. depth of built-in installation box:** 40,00 mm
- **Compatible with Apple HomeKit:** Si
- **Compatible with Google Assistant:** Si
- **Compatible with Amazon Alexa:** Si
- **IFTTT support available:** Si

Marcas

- 00. Marcado CE - UE
- 42. Zigbee certified
- 46. UK PSTI compliance ([download](#))
- 96. Experto electrotécnico ([download](#))
- 99. Directiva RAEE ([download](#))

Embalajes



Código 8007352732308
Cantidad 1 NR
Med. 5,2x3,5x5,3 [cm]
Peso 48,8 [g]



Código 8007352732315
Cantidad 60 NR
Med. 27x23x12,5 [cm]
Peso 3.116 [g]

Legal

Vimar se reserva el derecho de cambiar en cualquier momento y sin previo aviso las características de los productos reportados. La instalación debe ser realizada por personal cualificado cumpliendo con las disposiciones en vigor que regulan el montaje del material eléctrico en el país donde se instalen los productos. Para las condiciones de uso de la información de la ficha del producto, consulte [Condiciones de uso](#).